# **BIOPHARMACEUTICAL FORMULATIONS**

2022

2<sup>nd</sup> sem



HERBAL
SUBSTANCES and
PREPARATIONS with
PHYSIOLOGICAL
EFFECT for
the HOMEOSTASIS
of the ORGANISM

### **EUBIOTICI**

Eubiotic products





### **BOTANICALS**







### **BIOMOLECOLARI**

Biomolecular products



DDM
Disordini Deficit Molecolare
Disorders due to specific Molecular Deficiencies

## **BIOPHARMACEUTICAL FORMULATIONS**

SUBSTANCES
with PHYSIOLOGICAL
EFFECT

**Concentrated micronutrients** 

**Microorganisms** 

**Botanicals** 

▶ Vitamins → Minerals → Amino acids → Fatty acids → Enzymes

Stable probiotics type strains

Stable bioprotics type strains

Bacterial Care

Prebiotic and non-prebiotic fibers

▶ Standardized and titrated botanicals (100% molecular)

▶ Multi-fractionated and reconstituted extracts MFR 9.3 (Allosoma®)

**PERFECTED** through

**Galenic formulation** 

**Carriers** 

**Herbal Enhancers** 

▶ Time-dependent release: Fast, Normal, Slow Release

▶ pH-dependent release: Enteric-coating, Colon-specificity

Phytosomes®

Clathrates

Phase I enzymes: e.g. CYP P450

▶ Phase II enzymes: e.g. GST

▶ Phase III enzymes: e.g. ATP-binding cassette (GpP)

TESTED through

**Stability** 

**Publication of data:** 

Effects

▶ Route of administration

Duration

Compliance

Tolerability

Secondary effects



## **Our Figures**

**1** Technique

2 University Textbooks 3

Systems

6

**Product lines** 

40

Patented products

**65** 

Biopharmaceutical formulations

200

**Publications** 

























**Bactoblis**<sup>®</sup>

**Best Product of the Year 2015 - Immunity** 







| Product                             | When to use   | BIO-FORMULATION  | PERFORMANCE  | How to use   |
|-------------------------------------|---|--|--|--|
| Algocur®                            | ACUTE AND CHRONIC NOCICEPTIVE PAIN  | FILM-COATED TABLETS  1000 mg Curcuma longa rhizome PHYTOSOME®  10 mg Piper nigrum L. fruit standardized d.e.   | The phytosome form<br>and the association with PIPERINE<br>promote the oral bioavailability of CURCUMIN  | * 2 tablets between meals  |
| Bactorinol Decongestant nasal drops | TO DISRUPT BACTERIAL MEMBRANE INTEGRITY, USED ALONE OR AS ADD-ON TREATMENT          | DECONGESTANT DROPS Winteraized Lentisk oil ( <i>Pistacia lentiscus</i> L., berries)  | Winterized Lentisk Oil has a bacterical activity against the main pahogenic bacteria   | Pack of 20 Tablets  Instill 2-3 drops 3-4 times a day  |
| PATENT                              | TO ANTIBIOTICS  |  | responsible for respiratory tract infections   | 15 ml bottle with dropper  |
| Bactorinol<br>Mouth spray           | TO DISRUPT BACTERIAL MEMBRANE INTEGRITY,<br>USED ALONE OR AS ADD-ON TREATMENT       | MOUTH SPRAY Winteraized Lentisk oil ( <i>Pistacia lentiscus</i> L., berries)   | Winterized Lentisk Oil has a bacterical activity<br>against the main pahogenic bacteria<br>responsible for respiratory tract infections                                  | 2-3 sprays, 3 times a day  |
|                                     | TO ANTIBIOTICS  |  |  | 20 ml spray bottle   |
| Berberol°                           | ALTERATIONS OF GLUCOSE PROFILE AND LIPID PROFILE                                    | FILM-COATED TABLETS  500 mg of berberine from <i>Berberis aristata</i> DC. root standardized d.e.  105 mg of sylimarin from <i>Silybum marianum</i> L. fruit standardized d.e. | The association with SILYMARIN enhances the oral bioavailability of BERBERINE  | * 2 tablets per day  |
| PATENT                              |   | Too mg or oyuman nom onybum manunum E. mar olanda dibo al.o.   | O SENSEME  | Pack of 30 Tablets   |
| Berberol <sup>®</sup>               | MILD TO MODERATE<br>HYPERCHOLESTEROLEMIA  | FILM-COATED TABLETS  730 mg of berberine PHYTOSOME®  15 mg of MonaKoPure®  | Berberine PHYTOSOME® increases<br>the bioavailability of berberine by 10 times<br>MonaKoPure® is a highly standardized<br>extract containing MONACOLIN K and KA (1: 1)   | * 1 tablet per day   |
|                                     |   |  | free from citrinin and other monacolin diluents  | Pack of 30 tablets   |
| Carvelin°                           | VENOUS-LYMPHATIC INSUFFICIENCY,<br>CELLULITIS                                       | MULTILAYER TABLETS WITH DIFFERENTIATED RELEASE  100 mg LEUCOSELECT® PHYTOSOME® with NORMAL release  50 mg LIMPHASELECT® with SLOW release                                      | The <b>phytosome form</b> and the differentiated release technology optimize the oral bioavailability  | 2 tablets per day for 8-10 weeks<br>1 tablet per day as maintenance  |
|                                     |   | 80 mg GINKGOSELECT® PHYTOSOME® with NORMAL release   | opaniizo dio orai zioaranasiici  | Pack of 20 tablets   |
| Cibiesse                            | TO PROMOTE CORRECT REGULARITY OF THE GASTROINTESTINAL TRACT IN CASE OF CONSTIPATION | SINGLE-SERVE SACHET  1 mg Melatonin 5 g Psyllium   | The gelling characteristic of PSILLIUM allows to incorporate, transport and release  MELATONIN in the intestine  | 1 sachet per day<br>preferably in the evening before going to bed  |
|                                     | 0.02 0. 00.00   | <u> </u>   |  | Pack of 20 sachets   |
| Dibiesse°                           | TO PROMOTE CORRECT REGULARITY OF THE GASTROINTESTINAL TRACT IN CASE OF DIARRHEA     | TABLETS 255 mg <i>Berberis vulgaris</i> s.d.e. 750 mg Hydrolyzed Guar Gum 0,5 mg Melatonin   | The gelling characteristic of the<br>HYDROLYZED GUAR GUM allows<br>to incorporate, transport and release<br>MELATONIN and BERBERINE in the intestine                     | 1 tablet every 12 hours * for at least 8 weeks, 1 tablet every 24 hours as maintenance Pack of 20 tablets  |
| Dispepril                           | IMPROVEMENT OF GASTRIC<br>AND INTESTINAL MOTILITY                                   | ENTERIC-COATED TABLETS  300 mg of Zinigiber officinale Roscoe rhizome standardized d.e.  150 mg of Perilla frutescens (L.) Britton leaves standardized d.e.                    | The ginger extract is standardized and titrated in 22% gingerols and shogaoli  Perilla extract is obtained by extraction with ethanol to obtain the lipophilic component | 1 sachet per day preferably in the evening before going to bed  Pack of 20 sachets  1 tablet every 12 hours * for at least 8 weeks, 1 tablet every 24 hours as maintenance  Pack of 20 tablets  1 tablet 30 minutes before lunch and before dinner  Pack of 30 tablets |
| PATENT                              |   | , , , , , , , , , , , , , , , , , , ,  | and with aqueous solvent for the hydrophilic one   | Pack of 30 tablets   |

| Product                              | When to use  | BIO-FORMULATION   | PERFORMANCE   | How to use  |
|--------------------------------------|--|---|---|---|
| <b>Emospid</b> °                     | HEMORRHOIDS,<br>CHRONIC VENOUS INSUFFICIENCY<br>VARICOSE VEINS, SPIDER VEINS   | MULTILAYER TABLETS WITH DIFFERENTIATED RELEASE  100 mg LEUCOSELECT® PHYTOSOME® with NORMAL release 30 mg Triterpenes from Centella asiatica with SLOW release 80 mg MIRTOSELECT® with NORMAL release  | The phytosome form and the differentiated release technology optimize the oral bioavailability  | 3 tablets per day 1-2 tablets per day as maintenance  Pack of 20 tablets                  |
| Fibermet°                            | USED TO REGULATE METABOLISM OF CARBOHYDRATES AND LIPIDS, TO REGULATE INTESTINAL TRANSIT AND REDUCE GLYCEMIC PEAK AFTER MEALS | SINGLE-SERVE SACHET  1500 mg Psyllium, 1500 mg Glucomannan  1500 mg Phytosterols and Phytostanols  500 mg Depolymerized Guar Gum  40 µg Chromium  | The water-soluble, viscous fibers and chromium improve the gycemic profile, plant sterols improve the lipid profile   | *     1 sachet before main meals  Pack of 20 sachets                                      |
| Galactol°                            | IT CONTRIBUTES TO DIGESTION<br>OF GLUTEN, FODMAPS AND LACTOSE  | ENTERIC-COATED TABLETS  100 mg TOLERASE® G (Tolerase® G is a trademark of DSM.)  20 mg equal to a 600 Gall∪ α-Galactosidase  45 mg equal to 4.500 ALU β-Galactosidase                                 | Provides all suitable enzymes for for the digestion of gluten, FODMAPs and lactose  | 1-2 tablets at the beginning of main meals  Pack of 30 tablets                            |
| Globes°                              | BODY WEIGHT BALANCE<br>TO INCREASE THE ACTIVITY OF METABOLISM<br>DURING THE DIET<br>TO AVOID RETURN EFFECT AFTER DIETING     | ENTERIC-COATED TABLETS  150 mg GREENSELECT® PHYTOSOME® Camellia sinensis L. leaf s.d.e.  > 60 % total polyphenols > 40 epigallocatechin gallate (EGCG)  15 mg Piper nigrum L. fruit standardized d.e. | the enteric-coating, the phytosome form and the association with PIPERINE promote the oral bioavailability  | 2 tablets per day between meals for at least 12 weeks  Pack of 30 tablets                 |
| Нєра <b>G</b> °                      | OPTIMIZATION OF THE LIVER FUNCTION<br>AND ORGANISM DETOXIFICATION<br>ALSO IN CASE OF NAFLD                                   | TABLETS WITH PROGRAMMED SLOW RELEASE 210 mg SILIPHOS® 100 mg L-Cysteine, 50 mg L-Methionine, 50 mg L-Serine   | The phytosome form and the programmed release technology optimize the oral bioavailability of SILYBIN The association of the 3 amino acids promotes the production of GLUTATHIONE | 2 to 4 tablets per day between meals  |
| Homair°                              | VISCERAL OBESITY<br>REFRACTORY TO WEIGHT LOSS<br>INSULIN RESISTANCE<br>METABOLIC SYNDROME                                    | FILM-COATED TABLETS  800 mg CURSERIN® 8 mg Piper nigrum L. fruit standardized d.e.  | The phytosome form obtained with phosphatidylserine and the association with piperine optimize the absorption of curcumin and prevent its molecular degradation                   | * 1 to 2 tablets per day  Pack of 30 tablets  |
| Kramegin° ( Vaginal douche           | USED TO PREVENT FROM AGGRESSION AND VAGINAL COLONIZATION OF BACTERIA   | VAGINAL DOUCHE  Boric acid 3%  Lactic acid 0.14%  Krameria triandra 0.01%   | Rebalances the pH<br>Boric acid counteracts vitality<br>of the patogenic microflora   | 2 times per week or according to different needs 5 100 ml bottles - 5 disposable cannulas |
| Kramegin°<br>Vulvar cream            | INFECTIVE VAGINITIS,<br>VULVOVAGINITIS AND VAGINOSIS   | <b>VULVAR CREAM</b> Bisabolol 2%, <i>Krameria triandra</i> 0,5%   | Counteracts the development of the patogenic microflora Soothing-moisturizing action  | Apply to the external genitals if necessary also in the partner  40 ml tube               |
| Kramegin°<br>Intimate wash<br>PATENT | INFECTIVE VAGINITIS,<br>VULVOVAGINITIS AND VAGINOSIS   | INTIMATE WASH Lactic acid 1,8%, <i>Krameria triandra</i> 0,01%  | Rebalances the pH Cleansing-soothing-moisturizing action  | 1-2 applications per day  250 ml bottle   |









| Product                  | When to use  | BIO-FORMULATION   | PERFORMANCE   | How to use  |
|--------------------------|--|---|---|---|
| Lipicur <sup>®</sup>     | DIABETIC NEUROPATHY<br>NEUROPATHY FROM VARIOUS CAUSES                    | FILM-COATED TABLETS  400 mg alpha lipoic acid  4 mg <i>Piper nigrum</i> L. fuit s.d.e.  400 mg <i>Curcuma longa</i> L. rhizome PHYTOSOME®                       | The phytosome form and the association with PIPERINA promote the oral bioavailability of CURCUMIN | * 1 to 2 tablets per day  |
| PATENT                   |  | 400 Hig Curcuma longa L. Illizonie PHTTOSOME  |   | Pack of 30 tablets  |
| Mirgeal <sup>®</sup> GEL | NON EROSIVE GASTRO-ESOPHAGEAL<br>REFLUX DISEASE (NERD)                   | SINGLE-SERVE STICKPACKS 500 mg Sodium alginate 25 mg glycyrrhetic acid from <i>Glycyrrhiza glabra</i> L. 20 mg MIRTOSELECT®                                     | The development of a gel favors the protection of the gastric area                                | 1 stick as needed up to a maximum of 2 sticks per day after meals                     |
| PATENT                   |  |   |   | Pack of 30 stickpacks   |
| Neurofast•               | INSOMNIA, ANXIETY<br>IRRITABILITY, PALPITATIONS<br>VISCERAL SOMATIZATION | MULTILAYER TABLETS WITH DIFFERENTIATED RELEASE  100 mg VALEROSELECT® with FAST release  100 mg Passiflora i. s.d.e with SLOW release                            | The differentiated releaseo technology promotes the oral bioavailability of the ingredients       | * 1 to 3 tablets per day  |
|                          |  | 100 mg <i>Crataegus spp.</i> s.d.e with <b>NORMAL</b> release   | -   | Pack of 30 tablets  |
| Paravir Flu              | SORE THROAT<br>COUGH, COLDS, FLU SYNDROME<br>PARAINFLUENZA SYNDROME      | FILM-COATED TABLETS  160 mg Salix alba s.d.e (15% salicin)  102.5 mg Boswellia serrata s.d.e (65% boswellic acids)  25 mg Ginkgo dimeric flavones b. PHYTOSOME® | Provides all the necessary elements to the normal functionality of the immune system              | 2 tablet in the evening 2 tablets in the morning for 3 days                           |
| PATENT                   | TAUDUM ESEREN STREET   | Vitamins of group B, NAC, Zn-Se-Cu  | and protection from oxidative stress  | Pack of 12 tablets  |
| Papion <sup>o</sup>      | PREVENTION AND TREATMENT OF POTENTIAL PRECANCER HPV-ASSOCIATED LESIONS   | HARD CAPSULES 500 mg AHCC®, stardardized dried extract of Lentinula edodes  | The extract of <i>Lentinula edodes</i> promotes maintenance of the body's normal defenses         | 2 capsules after each main meal,<br>up to a maximum of 6 capsules per day             |
|                          |  |   |   | Pack of 60 capsules   |
| Quevir <sup>®</sup>      | INFLUENZA, PARAINFLUENZA<br>AND RESPIRATORY VIRUSES                      | FILM-COATED TABLETS 500 mg Quercetin PHYTOSOME®   | The <b>phytosome form</b><br>promotes the oral bioavailability of <b>QUERCETIN</b>                | ★<br>1 to 3 tablets per day   |
|                          |  |   |   | Pack of 30 tablets  |
| Quevir°<br>SPRAY         | USEFUL FOR THE WELLNESS OF THROAT<br>IN CASE OF VIRAL INFECTION          | MOUTH SPRAY  Quercetin PHYTOSOME®  Glycyrrhizate, Bisabolol, Zanthalene®, Melaleuca alternifolia  Thyme, Mint, Eucalyptus                                       | The <b>phytosome form</b> promotes the oral bioavailability of <b>QUERCETIN</b>                   | 1 to 3 tablets per day  Pack of 30 tablets  3 sprays 3 times a day  Mouth spray 20 ml |
|                          |  |   |   | Mouth spray 20 ml   |
| remifemin                | NEUROVEGETATIVE AND PSYCHIC SYMPTOMS OF CLIMATERIC SYNDROME              | <b>TABLETS</b> 2,5 mg of stardardized dried extract of<br><i>Cimicifuga racemosa</i> L. rhizome,  | The special iCR extract featured in Remifemin® is the only one totally free of phytoestrogens     | * 2 tablets per day  Pack of 60 tablets   |
|                          |  |   |   | Pack of 60 tablets  |

| Product                               | When to use  | BIO-FORMULATION  | PERFORMANCE   | How to use  |
|---------------------------------------|--|--|---|---|
| Sophy <sup>®</sup>                    | POLYCISTIC OVARY SYNDROME  | TABLETS  550 mg Berberine PHYTOSOME®  standardized d.e. of <i>Berberis aristata</i> (root)   | The phytosome form makes Berberine 10 times more bioavailable Useful in regulating altered metabolic parameters | 1 to 2 tablets per day  |
|                                       |  |  | osetui iirregulatiiig altereu metabolit parameters  | Pack of 30 tablets  |
| ZantoDERM°<br>Dermatological cream    | ERYTHEMATOUS DERMATITIS AND ECZEMA<br>SUNBURN, HIVES, INSECT BITES<br>PSORIASIS (ADJUVANT) | DERMATOLOGICAL CREAM  18-β-Glycyrrhetic acid PHYTOSOME® 1.5%  ZANTHALENE® 0.5%, Bisabolol 0.1%   | The <b>phytosome forms</b> favor<br>skin penetration<br>and the antioxidant, soothing and anti-itching action   | 2-3 applications per day for at least 10 days   |
| PATENT                                |  | Melaleuca a. 0.05%, Curcumin PHYTOSOME® 0.0012%  |   | 100 ml tube   |
| Zantogin <sup>®</sup><br>Vulvar cream | ATROPHIC VULVITIS CONTACT VULVITIS IRRITATIVE VULVITIS                                     | VULVAR CREAM  18-β-Glycyrrhetic acid PHYTOSOME® 1.5%  ZANTHALENE® 0.5%, Bisabolol 0.1%, <i>Melaleuca a.</i> 0.05%, Lactic acid 0.015%, Curcumin PHYTOSOME® 0.0012%                 | The <b>phytosome forms</b> favor<br>skin penetration<br>and the antioxidant, soothing and anti-itching action   | 1-2 applications per day for at least 10 days   |
| PATENT                                | CHRONIC LICHEN SIMPLEX   | Lactic acid 0,013 /0, ourcumm11111000int 0.0012 /0   |   | 40 ml tube  |
| Zantogin <sup>®</sup> Intimate wash   | ATROPHIC VULVITIS CONTACT VULVITIS IRRITATIVE VULVITIS                                     | INTIMATE WASH  18-β-Glycyrrhetic acid PHYTOSOME® 0.75%  ZANTHALENE® 0.25%, <i>Melaleuca a.</i> 0.1%, Bisabolol 0.05%, Lactic acid 0.001%, Curcumin PHYTOSOME® 0.0012%              | The <b>phytosome forms</b> favor<br>skin penetration and<br>the antioxidant, soothing and anti-itching action   | 1-2 applications per day for at least 10 days   |
| PATENT                                | CHRONIC LICHEN SIMPLEX   | Education and 0,00170, Saradimir Till 1000ine 0.001270   |   | 250 ml bottle   |
| Zantogin <sup>®</sup>                 | E ATROPHIC VAGINITIS, VAGINAL DRYNESS  | mucoadhesive VAGINAL GEL  Triterpenes from <i>Centella a.</i> PHYTOSOME® 1%  XILOGEL® from <i>Tamarindus indica</i> 1%, Polycarbophyl 0.8%  ZANTHALENE® 0.5%, Hyaluronic acid 0.5% | The <b>phytosome forms</b> favor<br>skin penetration and the<br>healing, restorative and moisturizing effect    | application per day for 6 consecutive days     then follow a finalized maintenance     aimed at symptom control |
| PATENT                                |  | 2 difficulties 0.0 /0, figuration and 0.0 /0   |   | 30 ml tube - 6 disposable applicators   |









### PATENTED EXTRACTION TECHNOLOGY

### PERFORMANCE: the Allosoma® contains the whole herbal substance

| Product     | When to use  | BIO-FORMULATION   | How to use            |
|-------------|--|---|-----------------------|
| Brassiplex° | PRIMARY, SECONDARY AND TERTIARY PREVENTION IN ONCOLOGY   | <b>TABLETS</b><br>200 mg <i>Brassica oleracea</i> <b>ALLOSOMA</b> ® | 1-2 tablets per day   |
| Fucusplex   | OVERWEIGHT AND OBESITY, UNDERACTIVE THYROID<br>WATER RETENTION MAINLY LOCATED ON THE ABDOMEN, THIGHS AND BUTTOCKS,<br>LOW BASAL METABOLIC RATE   | TABLETS 250 mg Fucus vesiculosus ALLOSOMA®                          | 1-2 tablets per day   |
| lperiplex°  | MILD AND MODERATE DEPRESSION, MOOD DISORDERS<br>DYSPHORIC SYNDROMES, REDUCTION OF TOBACCO DEPENDENCE   | TABLETS 300 mg Hypericum perforatum ALLOSOMA®                       | * 2-3 tablets per day |
| Rodioplex®  | ASTHENIA, CHRONIC FATIGUE SYNDROME, COGNITIVE DEFICITS,<br>MILD TO MODERATE DEPRESSION, MAINTAINING HIGH SPORTS,<br>PSYCHOLOGICAL AND/OR WORKING PERFORMANCE,<br>NICOTINE WITHDRAWAL, BURNOUT SYNDROME | TABLETS<br>200 mg <i>Rhodiola rosea</i> ALLOSOMA®                   | 1-2 tablets per day   |

Pack of 30 tablets

## PROPOLISINA® line

### **PATENTED RAW MATERIAL**



| Product  | When to use                             | BIO-FORMULATION  | PERFORMANCE  | How to use                |
|--|---|--|--|---------------------------|
| PROPOLISINA® Proposoma lisclatrato® citrus flavour       | DISEASES OF THE UPPER RESPIRATORY TRACT | MOUTH-DISSOLVING POWDER IN STICKPACKS (citrus flavour) 200 mg Proposoma lisclatrato®             | All the active ingredients of propolis are made bioavailable | 4 stickpacks for 3 days * |
| PROPOLISINA® Proposoma lisclatrato* forest fruit flavour | DISEASES OF THE UPPER RESPIRATORY TRACT | MOUTH-DISSOLVING POWDER IN STICKPACKS<br>(forest fruit flavour)<br>200 mg Proposoma lisclatrato® | All the active ingredients of propolis are made bioavailable | 4 stickpacks for 3 days * |

Pack of 12 stick packs





| Product                   | When to use   | BIO-FORMULATION   | PERFORMANCE  | How to use   |
|---------------------------|---|---|--|--|
| MonoSelect<br>Agnus       | PREMENSTRUAL SYNDROME<br>AND RELATED DISORDERS<br>DYSPHORIC SYNDROME<br>MENSTRUAL CYCLE DISORDERS | TABLETS WITH PROGRAMMED FAST RELEASE 40 mg Vitex agnus castus L. fruit standardized d.e. to contain 0,5% agnuside                               | The <i>FAST</i> -release technology optimizes absorption   | 1 tablet per day for 90 days then continue with 1 tablet in the 7 days prior to period |
|                           | HYPERPROLACTINEMIA  |   |  | Pack of 30 tablets   |
| MonoSelect<br>AKBA        | OSTEOARTHRITIS<br>INFLAMMATORY BOWEL DISEASE<br>BRONCHIAL ASTHMA                                  | FILM-COATED TABLETS  500 mg CASPEROME® PHYTOSOME®  Boswellic acids from resin of <i>Boswellia serrata</i> R.                                    | The <b>phytosome form</b> increases the oral bioavailability   | 1 to 2 tablets per day between meals for at least 6 weeks                              |
|                           | DRUNGHIAL AS ITIMA  | Boowsino doldo from room of Boowsina corrata 11.  |  | Pack of 30 tablets   |
| MonoSelect<br>Echinacea   | STIMULATION OF THE IMMUNE SYSTEM  | 12-HOUR SLOW RELEASE TABLETS  100 mg POLINACEA®, Echinacea angustifolia L. root d.e. > 2% echinacoside> 5% polysaccharides <0.1% isobutylamides | The <b>SLOW</b> -release technology allows for prolonged action  | PREVENTION: 1 tablet per day from September to March                                   |
| Lemmacea                  |   | 2 // edilinacuside/ 3 // pulysacularides <0.1 // isobutylamides   | and the optimization of the immune stimulus  | Pack of 30 tablets   |
| MonoSelect<br>Ginkgo      | VASCULAR INSUFFICIENCY  | FILM-COATED TABLETS 120 mg GINKGOSELECT® PHYTOSOME® Ginkgo biloba L. leaf standardized d.e.   | The phytosome form increases the oral bioavailability  | * from 1 to 3 tablets per day between meals  |
| Gilikgo                   | > 24% ginkgo flavon glucosides  | > 24% ginkgo flavon glucosides > 6% terpene lactones  |  | Pack of 30 tablets   |
| MonoSelect<br>Macrocarpon | RECURRENT BACTERIAL URINARY<br>TRACT INFECTIONS   | ENTERIC-COATED TABLETS  200 mg Vaccinium macrocarpon L. fruit standardized d.e. titrated in 30% proanthocyanidins equal to 60 mg PACs           | The enteric coating protects<br>the entire amount of proanthocyanidins<br>from the gastric pH                | 1 to 2 tablets per day between meals for at least 12 weeks                             |
| PATENT                    |   |   |  | Pack of 30 tablets   |
| MonoSelect<br>Sabal       | BENIGN PROSTATIC HYPERPLASIA (BPH)<br>ANDROGENETIC ALOPECIA                                       | ENTERIC-COATED TABLETS 320 mg SABALSELECT® Serenoa repens S. fruit extract  | The enteric coating limits<br>the possible gastric discomfort<br>caused by the oily component of the extract | * 1 capsule per day between meals  |
|                           |   | containing 90% straight-chain fatty acids   | caused by the only component of the extract  | Pack of 30 tablets   |

Please refrain from sharing with third parties







| Product                  | When to use  | BIO-FORMULATION   | PERFORMANCE   | How to use   |
|--------------------------|--|---|---|--|
| Bactoblis <sup>®</sup>   | PREVENTION OF: TONSILLITIS, PHARYNGITIS ACUTE OTITIS MEDIA TREATMENT OF: ORAL CANDIDOSIS HALITOSIS, GENGIVITIS | MOUTH-DISSOLVING TABLETS  Streptococcus salivarius BLIS™ K12  not less than 1 Billion CFU/tablet  | Clinically tested efficacy and safety   | 1 tablet to suck until complete * dissolution in the evening before bedtime for cycles of not less than 3 months   |
|                          | ,  |   |   | Pack of 30 tablets   |
| Bactoblise infant        | PREVENTION OF: TONSILLITIS, PHARYNGITIS ACUTE OTITIS MEDIA TREATMENT OF: ORAL CANDIDOSIS                       | OPENABLE CAPSULES  containing MOUTH-DISSOLVING POWDER  Streptococcus salivarius BLIS™ K12   | Clinically tested efficacy and safety   | 1 capsule in the evening before bedtime for cycles of not less than 3 months                                       |
| For Baby                 | HALITOSIS, GENGIVITIS  | not less than 1 Billion CFU/capsule   |   | Pack of 30 capsules  |
| Bactocillin <sub>*</sub> | USEFUL TO FAVOUR THE BALANCE OF THE INTESTINAL MICROBIOTA IN CASE OF TREATMENT WITH AMOXICILLIN                | MOUTH-DISSOLVING POWDER IN SINGLE-SERVE STICKPACKS Bifidobacterium Division CELLO20®  | Probiotic resistant to Amoxicillin and Amoxicillin-Clavulanic acid                                      | 1 stickpack per day<br>for not less than 90 days<br>Dissolve in water or other liquid                              |
|                          | OR AMOXICILLIN-CLAVULANIC ACID   | not less than 15 Billion CFU/stickpack  |   | Pack of 20 stickpacks  |
| <b>Bacto</b> pral*       | TO PREVENT AND TREAT<br>DYSBIOSIS IN NEWBORS UP TO 1 YEAR OF AGE   | MOUTH-DISSOLVING POWDER<br>IN SINGLE-SERVE STICKPACKS<br>Bifidobacterium bifidum PRL2010®   | Probiotic capable of catabolizing breast milk glycans<br>(Human milk oligosaccharides - HMOs) and mucin | 1 stickpack per day<br>for not less than 90 days<br>Dissolve in water or other liquid                              |
| For Baby                 |  | equal to 1 Billion CFU/stickpack  |   | Pack of 30 stickpacks  |
| Bactopral<br>Mamma       | IN MOMS DURING LAST TRIMESTER<br>OF PREGRANCY AND DURING BREASTFEEDING<br>TO PREVENT AND TREAT                 | MOUTH-DISSOLVING POWDER IN SINGLE-SERVE STICKPACKS Bifidobacterium bifidum PRL2010®   | Probiotic capable of catabolizing breast milk glycans<br>(Human milk oligosaccharides - HMOs) and mucin | 1 stickpack per day Dissolve in water or directly into the mouth   |
| Mamma                    | DYSBIOSIS IN NEWBORS UP TO 1 YEAR OF AGE   | equal to 3 Billion CFU/stickpack  | ( 1 )   | Pack of 30 stickpacks  |
| Bowell*                  | IT CAN BE USED AS ADD-ON TREATMENT<br>TO RIFAXIMIN<br>TO PREVENT GUT DYSBIOSIS                                 | SINGLE-SERVE STICKPACKS Bifidobacterium longum W11 not less than 10 Billion CFU/stickpack   | Probiotic resistant to Rifaximin  | 1 stickpack per day * Start treatment concurrently with Rifaximin and continue taking until the end of the package |
|                          | TO THE VENT GOT DISDICSIO  |   |   | Pack of 14 stickpacks  |
| Butirrisan <sub>*</sub>  | USEFUL IN CASE OF<br>IRRITABLE BOWEL SYNDROME (IBS)<br>INFLAMMATORY BOWEL DISEASE (IBD)                        | TABLET  30 mg Clostridium butyricum (CBM 588®)  not less than 4.5x10 <sup>5</sup> UFC/tablet  | The only marketed probiotic able to produce butyric acid in the gut                                     | 1 to 3 tablets before main meals   |
|                          | CANDIDIASIS  | The same state of the state of |   | Pack of 90 tablets   |
| Carioblis <sub>®</sub>   | PREVENTION OF DENTAL CARIES PREVENTION OF GENGIVITIS AND DISTURBS OF THE PERIODONTIUM                          | MOUTH-DISSOLVING TABLETS Streptococcus salivarius BLIS M18 not less than 1 Billion CFU/tablet   | Type strain which produces 4 salivaricins and 2 enzymes that hinder acidity and dental plaque           | * 1 tablet to suck until complete dissolution in the evening before bedtime  |
|                          | Districted of the Felloworthold  |   |   | Pack of 30 tablets   |
| Crispact*                | TO PREVENT AND TREAT VAGINAL DYSBIOSIS (IT CAN BE USED AS ADD-ON TREATMENT TO METRONIDAZOLE AND BORIC ACID)    | MOUTH-DISSOLVING POWDER IN SINGLE-SERVE STICKPACKS Lactboacillus crispath M247 Locathon 20 Billion CEL (displayed)  | Probiotic with the greatest capacity to produce lactate and hydrogen peroxide Significant adhesiveness, | 1 stickpack per day for not less than 90 days Dissolve in water or directly into the mouth Pack of 30 stickpacks   |
|                          | 13 INETHORIDALOLE AND DOTTO AOID)  | not less than 20 Billion CFU/stickpack  | colonization and persistence  | Pack of 30 stickpacks  |

| Product              | When to use  | BIO-FORMULATION  | PERFORMANCE   | How to use  |
|----------------------|--|--|---|---|
| Gabapral*            | TO PRODUCE GABA IN CHILDREN WITH<br>RECURRENT ABDOMINAL PAIN (RAP) AND ADHD  | MOUTH-DISSOLVING POWDER IN SINGLE-SERVE STICKPACKS Bifidobacterium adolescentis PRL2019®   | Probiotic producing GABA  Useful to treat gut dysbiosis   | 1 stickpack per day for not less than 90 days<br>Dissolve in water or<br>directly into the mouth  |
| GliadinES*           | GLUTEN SENSITIVITY-TYPE NON-CELIAC<br>CELIAC DISEASE, BOWEL DISEASE  | 20 Billion CFU/stickpack  MOUTH-DISSOLVING POWDER IN SINGLE-SERVE SACHETS Biffidobacterium longum ES1 1 Billion CFU/sachet   | Probiotic capable of catabolizing gliadin Microbiota-normalizing in case of gluten-free diet  | Pack of 30 stickpacks  1 sachet per day for not less than 90 days Dissolve in water or directly into the oral cavity Pack of 30 sachets |
| iNatal <sup>®</sup>  | PREVENTION OF GYNECOLOGICAL INFECTIONS BY STREPTOCOCCUS AGALACTIAE, CANDIDA ALBICANS, GARDNERELLA AND MYCOPLASMAS                                      | SINGLE-SERVE SACHETS  Enterococcus faecium L3 - 5 Billion CFU  Bifidobacterium animalis subsp. lactis - 3 Billion CFU  Lactococcus lactis SP38 - 3 Billion CFU  Lacticaseibacillus casei R0215 - 3 Billion CFU | Vertical transfer of type strains   | 1 sachet per day to dissolve in water starting indicatively from the 2 <sup>nd</sup> trimester of pregnancy                             |
| iNatal*DUO           | PREVENTION OF CYSTITIS, DIARRHEA,<br>GUT DYSBIOSIS, CONSTIPATION,<br>VAGINITIS, BACTERIAL VAGINOSIS  | SINGLE-SERVE SACHETS  Enterococcus faecium L3 - 5 Billion CFU  Bifidobacterium animalis subsp. lactis - 2 Billion CFU  | Combination containing probiotic strains supporting immune defenses   | 1 sachet per day to dissolve in water Pack of 14 sachets  |
| iNatal*PED           | PREVENTION AND TREATMENT OF:<br>GASTROENTERITIS, CYSTITIS, VAGINOSIS, VAGINITIS<br>RECURRENT RESPIRATORY INFECTIONS<br>ALLERGY SYNDROME, ASTHMA, ATOPY | SINGLE-SERVE STICKPACKS  Enterococcus faecium L3 - 2 Billion CFU  Bifidobacterium animalis subsp. lactis - 2 Billion CFU   | Combination containing probiotic strains supporting immune defenses   | 1 stickpack per day to dissolve in water for 4-12 weeks Pack of 30 tablets  |
| Satilia <sup>™</sup> | TO PROMOTE REDUCED FEELINGS OF HUNGER AND BETTER ADHERENCE TO WEIGHT-LOSS PROGRAMMES   | ENTERIC-COATED CAPSULES  Hafnia alvei HA4597® 5 x 10 <sup>7</sup> CFU  Zinc 5 mg, Chromium 20 μg  Amount per daily dose (2 capsules)   | Combination containing <i>Hafnia alvei</i> strain HA4597®  Zinc and Chromium.  Zinc contributes to normal metabolism of fatty acids and macronutrients.  Chromium contributes to the maintenance of normal levels of blood glucose. | 2 capsules per day 1 during breakfast and 1 during lunch with plenty of water  Pack of 60 capsules                                      |







|                          | ••••  |  |  |                                   |             |
|--------------------------|---|--|--|-----------------------------------|-------------|
| Product                  | When to use   | BIO-FORMULATION  | PERFORMANCE  | How to use                        | Se          |
| Alkaloximed <sup>®</sup> | TISSUE ACIDOSIS, OXIDATIVE STRESS<br>ASTHENIA, MUSCOLAR CRAMPS                                | SINGLE-SERVE SACHETS Citrates (K, Mg, Zn) Vitamins A C E, Selenium - Vitamins of group B   | Multivitamin saline supplement for rebalancing<br>and maintaining the correct tissue pH<br>and cellular homeostasis                          | * 1-2 sachets per day             | third parti |
|                          |   | ,  |  | Pack of 20 sachets                | with        |
| FG5°                     | PREVENTION OF IATROGENIC INJURY DUE TO ANTIBIOTICS, ANTINFLAMMATORY AND ANTIPIRETIC THERAPIES | SINGLE-SERVE SACHETS Stable probiotics (20 billion viable cells) Vitamins of group B, Fructooligosaccharides (FOS) Vitamins A C E, Zn, Cu, Se, GSH | High dose symbiotic<br>with purifying functions  | 1 sachet A + 1 sachet B per day   | om sharing  |
| PATENT                   | DIARRHEA, DYSBIOSIS   | Leukocyanidins, Lycopen  |  | Pack of 6 sachets A + 6 sachets A | in fr       |
| Fibradis <sup>®</sup>    | GUT DYSBIOSIS   | SINGLE-SERVE SACHETS  90% BIFIDOGENIC FIBERS: Inulin, GOS, FOS  10% LACTOGENIC FIBERS: IMO, Lactulose, Polydextrose                                | Genus-specific blend of fibers<br>for the proliferation and colonization of<br>bifid and lactic bacteria<br>in gut physiological proportions | *<br>1-2 sachets per day          | Yease refra |
| PATENT                   |   |  | in gat prijototogical proportions  | Pack of 14 sachets                | σ           |



|--|

| Product               | Physiological Effect  | BIO-FORMULATION   | PERFORMANCE  | How to use                     |  |
|-----------------------|---|---|--|--------------------------------|--|
| DDM<br>Betaina        | HYPERHOMOCYSTEINEMIA  | 8-HOUR PROGRAMMED RELEASE TABLETS 250 mg Betaine, 3 mg Vit. B6, 0.4 mg folic acid, 3.75 µg Vit. B12 | Optimization of intestinal absorption<br>Provides all the necessary elements                         | 1 tablet per day               |  |
| Detailla              |   | 200 mg 200mm, 0 mg 1m 20, 0 1 mg 1000 000, 0 1 0 pg 1m 2 1 2  | to homocysteine metabolism   | Pack of 30 tablets             |  |
| DDM<br>Chinone        | TO OPTIMIZE ENERGY PRODUCTION FOR INSTANCE IN CASE OF STATIN-INDUCED POLYNEUROPATHY AND MYOPATHY        | MOUTH-DISSOLVING POWDER IN SINGLE-SERVE SACHETS 200 mg Coenzima Q10, 15 mg Vitamina E               | NANOEMULSION increases<br>the bioavailability of CoQ10 by improving its chemical                     | 1 sachet per day between meals |  |
| Cillione              | OR FIBROMYALGIA   | 25 mg Vit. B2, 9,5 mg Vit. B6, 0,4 mg Vit. B9, 0,025 mg Vit. B12                                    | affinity with the enterocyte membrane  | Pack of 30 sachets             |  |
| DDM<br><b>Chiro</b>   | POLYCYSTIC OVARY SYNDORME<br>AND RELATED DISTRURBS AS:<br>OLIGOMENORRHEA. AMENORRHEA. INFERTILIY        | <b>8-HOUR PROGRAMMED RELEASE TABLETS</b> 600 mg DCI, 1.5 mg Zn, 400 µg folic acid, 10 µg Vit. D     | Optimization of the absorption of the active ingredients   | 1-2 tablets per day            |  |
| Cilifo                | IRSUTISM, ACNE, METABOLIC DISORDERS   | ood mg bol, 1.5 mg 2n, 400 pg folic acid, 10 pg vit. b  | of the active ingredients  | Pack of 30 tablets             |  |
| DDM<br>Ferro          | IRON DEFICIENCY ANEMIA  | 4-HOUR PROGRAMMED RELEASE TABLETS 21 mg Iron, 240 mg Vit. C, 1.2 mg Vit. A                          | Limit stomach upset Releases in the first intestinal tract   | 1-3 tablets per day            |  |
| 16110                 |   | 21 mg non, 2 to mg tha 5, 1.2 mg than   | bioavailable iron  | Pack of 30 tablets             |  |
| DDM<br>Galattosidasi  | IT CONTRIBUTES TO DIGESTION OF LACTOSE AND FODMAPS  | ENTERIC-COATED TABLETS α-Galactosidase 600 GalU   | Provides all suitable enzymes<br>for the digestion of lactose<br>and non-digestible oligosaccharides | 1-2 tablets before meals       |  |
| Galattosidasi         | OF ENGIOUS AND FORMALS  | β-Galactosidase 4.500 ALU   | of cereals and brassica plants   | Pack of 30 tablets             |  |
| DDM<br><b>Matrice</b> | PROFILAXIS AND TREATMENT OF:<br>STRIAE RUBRAE, POST-SURGICAL SCARS,<br>TENDON AND MUSCOLAR PATHOLOGIES. | SINGLE-SERVE SACHETS 5,000 mg Hydrolyzed collagen   | The hydrolyzed form favors the synthesis of the connective matrix                                    | 1-2 sachets per day            |  |
| PATENT                | TRAUMA, ARTHROSIS   | 500 mg Elastin hydrolyzed, 12 mg Vit. C   | and dynamous or and dominocard maan.   | Pack of 14 sachets             |  |
| DDM<br><b>Metile</b>  | MILD TO MODERATE DEPRESSION<br>ATERATIONS OF MOOD   | ENTERIC-COATED TABLETS 250 mg SAMe - 125 mg Betaine   | Preserves of endogenous and exogenous SAMe   | 1-3 tablets per day            |  |
| Methe                 | LIVER DISEASES  | 200 mg GAMC 120 mg Betaine  | Maximizes the functionality of methyl donors   | Pack of 32 tablets             |  |
| DDM<br>Nitrico        | VASCULAR DISEASE<br>ERECTILE DYSFUNCTION  | 8-HOUR PROGRAMMED RELEASE TABLETS 200 mg L-Arginine, 200 mg L-Citrulline,                           | Optimization of intestinal absorption and of the metabolic cycle for the genesis of NO               | 1 tablet per day               |  |
| TAILLICO              | ADIPOSITY, OSTEOPOROSIS   | ADIPOSITY, OSTEOPOROSIS 200 mg L-Lysine, 200 mg L-Ornithine   | and an and modulous of the first and general of the  | Pack of 20 tablets             |  |

s. standardized - d. dried - e. extract





<sup>\*</sup> published data reporting dosages and clinical protocols

In order to evaluate potential systemic toxic effects on each finished product, an acute toxicity test (2000 mg/kg) was performed on rats. All tests resulted negative.